

LIST OF PUBLICATIONS OF. A.G.FOGG

258. A. G. Fogg,* M. V. B. Zanoni, A. A. Barros, J A.Rodrigues, B. J. Birch, Aspects of Cathodic Stripping Voltammetry at the Hanging Mercury Drop Electrode and in Non-Mercury Disposable Sensors, *Electroanalysis* 2000, 12, 1227-1232(2000).
- 257 H.M.Carapuca, O.M.S.Filipe, J.E.J.Simao and A.G.Fogg, Electrochemical studies of nitroprusside in the presence of copper(II): formation of Cu(I) reduced nitroprusside species, *J.Electroanal.Chem.*, 480, 84-93(2000).
256. J.Zima, J.Barek, J.C.Moreira, V.Mejstik and A.G.Fogg,, Polarographic and voltammetric determination of environmentally important dyes', *Crit. Rev. in Analyt.Chem.*, 123, 1987-1993(1999).
255. A.G.Fogg and J.Wang, 'International Union of Pure and Applied Chemistry : Technical Report : Terminology and convention for electrochemical stripping analysis,' *Pure and Applied Chemistry* ,71, 891-897(1999).
254. Shubietah_RM, AbuZuhri_AZ, Fogg_AG 'Adsorptive stripping voltammetric determination of dimenhydrinate at a hanging mercury drop electrode', *Mikrochim. Acta*, 130, 165-171(1999).
253. L.N.C.Rodrigues, A.G.Fogg, and M.V.B.Zanoni, 'Indirect polarographic and cathodic stripping voltammetric determination of cefaclor as an alkaline degradation product', *J.Pharm.Biomed.Anal.*, 21, 497-505(1999).
252. V.S.Ferreira, M.V.B.Zanoni, and A.G.Fogg, 'Cathodic stripping voltammetric determination of ceftazidime with reactive accumulation at a poly-L-lysine modified hanging mercury drop electrode,' *Anal. Chim. Acta*, 384, 159-166(1999).
251. L.N.C.Rodrigues, A.G.Fogg, and M.V.B.Zanoni, 'Cathodic stripping voltammetric determination of cefaclor in pharmaceutical formulations', *Anal.Letters*, 32, 97-109(1999).
250. P.J.Almeida, J.A.Rodrigues, A.A.Barros, and A.G.Fogg, Voltammetric studies of anthraquinone dyes adsorbed at a hanging mercury drop electrode using fast pulse techniques, *Anal.Chim.Acta*, 385, 287-293(1999).
249. A. A. Barros, J. A. Rodrigues, P. J. Almeida, P.G. Rodrigues and A. G. Fogg, Voltammetry of compounds confined at the hanging mercury drop electrode surface, *Anal.Chim.Acta*, 385, 315-323(1999).
248. M.V.B. Zanoni, P.A. Carneiro, M. Furlan, E.S. Duarte, C.C.I. Guaratini, and A.G.Fogg, Determination of the vinylsulphone azo dye, Remazol Brilliant Orange 3R, by cathodic stripping voltammetry, *Anal.Chim.Acta*, 385, 385-392(1999).
247. H. M. Carapuca, J. E. J. Simão and A.G. Fogg, 'Comproportionation and disproportionation in the electrochemical reduction of nitroprusside at a hanging mercury drop electrode in acidic solution', *J.Electroanal. Chem.*, 455, 93-105(1998).
246. A.R.H.M.Yusoff, A.G.Fogg and R.Ahmad, 'Cathodic stripping voltammetry of 2,3-dichloroquinoline and 1,4-dichlorophthalazine reactive dyes and their hydrolysis products : Reactive Red 41 and Reactive Red 96,' *Talanta*, 47, 797-801(1998).
245. A.G.Fogg, M.V.B.Zanoni, A.R.H.Yusoff, R.Ahmad, J.Barek and J.Zima, 'Polarographic and cathodic stripping voltammetric properties of triazine-based azo dyes with 4-carboxypyridyl and 1,4-diazabicyclo[2,2,2]octanyl (DABCO) leaving groups,' *Anal. Chim. Acta*, 362, 235-240(1998).

244. V.S.Ferreira, M.V.B.Zanoni and A.G.Fogg, 'Indirect cathodic stripping voltammetric determination of ceftazidime as a mercury salt', *Anal. Chim. Acta*, 367, 255-259(1998).
243. A.G.Fogg, A.R.H.M.Yusoff, and R.Ahmad, 'Differential pulse cathodic stripping voltammetry of copper-complexed ReactiveViolet 4 and its hydrolysis product at a hanging mercury drop electrode', *Malaysian J. Anal.Sciences.*, 3, 157-165 (1997).
242. A.G.Fogg, 'Stripping voltammetry in environmental studies of dyes and thiols', *Port. Electrochim. Acta*, 16, 5-10(1998).
241. J.Cvacka, J.Barek, A.G.Fogg, J.C.Moreira, and J.Zima, 'Critical Review - High-performance liquid chromatography of nitrated polycyclic aromatic hydrocarbons', *Analyst*, 123, 9R-18R (1998).
240. J.Barek, J.Beranova, A.G.Fogg, V.Mejstrik, J.C.Moreira, and J.Zima, 'Polarographic and voltammetric determination of Ostacetate Blue P3R', *Anal.Chim. Acta*, 356, 231-237(1997).
239. P.J.Almeida, J.A.Rodrigues, A.A.Barros and A.G.Fogg, 'Voltammetric studies of anthraquinone-based chlorotriazine reactive dyes adsorbed at mercury electrodes', *Port. Electr.Acta*, 15, 309-314(1997).
238. H. M. Carapuça, O. M.S.Filipe, J.E. J. Simão and A. G. Fogg, 'Some considerations on the one-electron electrochemical reduction of nitroprusside. The use of coulometry in the analysis of the reduction process', *Port. Electrochim. Acta*, 15, 257-261(1997).
237. V.S.Ferreira, M.V.B.Zanoni and A.G.Fogg, 'Cathodic stripping voltammetric determination of ceftazidime in urine at a hanging mercury drop electrode,' *Microchemical J.*, 57, 115-122(1997).
236. A G.Fogg, R. Ismail , R. Ahmad', S. L.Williams' and M.V.B.Zanoni, 'Discrete complexed ligand and catalytic nickel peaks in the differential pulse polarography and cathodic stripping voltammetry of Mordant Red 74', *Microchemical Journal*, 57, 110-114(1997).
235. V.S.Ferreira, M.V.B.Zanoni, M.Furlan and A.G.Fogg, 'Differential pulse polarographic determination of ceftazidime in urine samples with and without prior extraction,' *Anal.Chim.Acta*, 351, 105-114(1997).
234. M.V.B.Zanoni, A.G.Fogg, J.Barek and J.Zima, 'Electrochemical investigations of reactive dyes ; Cathodic stripping voltammetric determination of anthraquinone-based chlorotriazine dyes at a hanging mercury drop electrode,' *Anal.Chim.Acta*, 349, 101-109(1997).
233. A.G.Fogg, R. Ismail , A.R.H.M. Yusoff, R. Ahmad and F. G. Banica, 'Cathodic stripping voltammetric determination at a hanging mercury drop electrode of the environmental heavy metal precipitant trimercapto-s-triazine (TMT),' *Talanta*, 44, 497-500(1997).
232. A. G.Fogg, R. Ismail , R. Ahmad and F. G. Banica , 'Cathodic stripping voltammetric determination of 2-mercaptobenzothiazole using the catalytic cobalt peak', *Talanta*, 44, 491-495(1997).
231. A.G.Fogg and M.V.B.Zanoni, 'Monitoring reactive dyes and their hydrolysis and methanolysis products by cathodic stripping voltammetry at a hanging mercury drop electrode,' *Port. Electrochim. Acta*, 14, 229-232(1996).
230. A. G.Fogg, R. Ismail , R. Ahmad and F. G. Banica , 'Comparison of indirect cathodic stripping voltammetric methods based on accumulation of mercury, copper(I) and nickel salts or complexes at a hanging mercury drop electrode: determination of 2-mercaptobenzothiazole,' *Analyst*, 121, 1877-1879(1996).

229. H.M.Carapuca, J.E.J.Simao and A.G.Fogg, 'Electrochemistry of the nitroprusside ion. From mechanistic studies to electrochemical analysis,' *Analyst*, 121, 1801- 1804(1996).
228. Guest Editor : D.Parker, A.K.Covington , B.J.Birch and A.G.Fogg, Guest Editors, December 1996 issue of *The Analyst*, Special Issue for the Sixth European Conference on Electroanalysis: European Society of Electroanalytical Chemistry and the Electroanalytical Group, Royal Society of Chemistry, Durham, 25-29 March 1996: *Analyst*, 121, 1747-1750(1996).
227. R.Ahmad, R.Ismail and A.G.Fogg, 'Cathodic stripping voltammetry of cadmium-2-mercaptopbenzothiazole', *Malaysian J.Anal.Sci.*, 2, 243 - 255(1996).
226. O.M.S.Filipe, H.M.Carapuca, J.E.J.Simao and A.G.Fogg, 'Determination of copper by differential pulse cathodic stripping voltammetry in the presence of sodium nitroprusside at pH<7,' *Port. Electrochim. Acta*, 10, 335-339(1995).
225. H.M.Carapuca, J.E.J.Simao and A.G.Fogg, 'Voltammetric behaviour of sodium nitroprusside in aqueous solutions of low pH: evidences for comproportionation', *Port. Electrochim. Acta*, 10, 349-353(1995).
224. A.G.Fogg, 'Cathodic stripping voltammetry and sensors : sulfonamides and thiols', *Port.Electr. Acta*, 10, 219-226(1995).
223. A.G.Fogg, A.R.H.M.Yusoff, and R.Ahmad, 'Cathodic stripping voltammetry of copper-complexed reactive dyes. Reactive Violet 5.', *Talanta*, 44, 125-129(1997).
222. J.Barek, A.G.Fogg, J.C.Moreira, M.V.B.Zanoni and J.Zima, 'Polarographic and voltammetric determination of selected triazine-based azo dyes with different leaving groups', *Anal.Chim.Acta*, 320, 312-42(1996).
221. F.G.Banica, A.G.Fogg, A.Ion, and J.C.Moreira, 'Cathodic stripping voltammetry of sulphur-containing amino-acids and peptides in the presence of nickel ion. Catalytic and inhibiting effects.', *Anal.Letters*, 29 (8) 1415-1429(1996).
220. A.Ion, F.G.Banica, A.G.Fogg, and H.Kozlowski, 'Cathodic stripping voltammetry of D-penicillamine and N-acetylcysteine in the presence of nickel ion', *Electroanalysis*, 8, 40-43(1996).
219. A.G.Fogg, 'Nomenclature of stripping voltammetry'. *Anal.Proc.*, 32, 433-435(1995).
218. A.G.Fogg, A.R.H.M.Yusoff, and R.Ahmad, 'Copper(II) interference by complexation in cathodic stripping voltammetry: accumulation of sulfachloropyridazine as its copper(I) complex to increase the sensitivity of its direct determination at a hanging mercury drop electrode and to overcome interference from copper(II)', *Anal. Proc.*, 32, 337-340(1995).
217. M.V.B.Zanoni, A.G.Fogg, J.Barek and J.Zima, 'Electrochemical investigations of reactive dyes; polarographic determination of anthraquinone-based chlorotriazine dyes, ' *Anal.Chim.Acta*, 315, 41-54(1995).
216. A.E.Davies and A.G.Fogg, 'Flow injection sandwich technique applied to indirect visible spectrophotometric determinations. Bromimetric and iodimetric determination of sulfite,' *Analyt. Chim.Acta*, 318, 55-62(1995).
215. A.G.Fogg, R.Pirzad, J.C.Moreira, and A.E.Davies, 'Improving the performance of screen-printed carbon and polished platinum and glassy carbon voltammetric electrodes by modification with poly-L-lysine', *Analyt.Proc.*, 32, 209-212(1995).
214. A.G.Fogg, A.R.H.M.Yusoff, and R.Ahmad, 'Use of ethylenediaminetetraacetic acid as a pH

- buffer to prevent copper(II) interference by complexation in the cathodic stripping voltammetric determination of reducible organic compounds at a hanging mercury drop electrode : determination of sulfasalazine in the presence of sulfadimidine', *Anal. Proc.*, 32, 189-191(1995).
213. R.M.Shubietah, A.Z.Abu Zuhri, and A.G.Fogg, 'Sensitive adsorptive stripping voltammetric determination of xanthine and its derivatives', *Electroanalysis*, 7, 975-979(1995).
212. A.G.Fogg, A.R.H.M.Yusoff, J.C.Moreira and R.Zhao, 'Cathodic stripping voltammetric determination of sulfonamides as copper(I) complexes at a hanging mercury drop electrode', *Analyt.Proc.Anal.Comm.*, 32, 95-97(1995).
211. F.G.Banica, A.G.Fogg and J.C.Moreira, 'Catalytic cathodic stripping voltammetry at a hanging mercury drop electrode of oxidised glutathione in the presence of nickel ion', *Talanta*, 42, 227-234(1995).
210. R.M.Shubietah, A.Z.Abu Zuhri, and A.G.Fogg, Determination of nanomolar levels of guanine by differential pulse adsorptive cathodic stripping voltammetry of its copper(II) complex, *Fres. J.Anal. Chem.*, 348, 754-757(1994).
209. R.Pirzad, J.C.Moreira, A.E.Davies and A.G.Fogg, 'Differential pulse cathodic stripping voltammetric determination of nedocromil sodium at an unmodified and at a poly-L-lysine modified hanging mercury drop electrode', *Analyst*, 1994, 119, 2439-2442.
208. M.V.B.Zanoni, J.C.Moreira, and A.G.Fogg, 'Use of solid phase extraction cartridges with differential pulse cathodic stripping voltammetry at a hanging mercury drop electrode: determination of nedocromil sodium and pentamidine isethionate in urine', *Analyst*, 1995, 120, 505-509.
207. F.G.Banica, A.G.Fogg and J.C.Moreira, 'Catalytic cathodic stripping voltammetry at a hanging mercury drop electrode of glutathione in the presence of nickel ion', *Analyst*, 1994, 119, 2343-2349.
206. R.M.Shubietah, A.Z.Abu Zuhri, and A.G.Fogg, Voltammetric behaviour and determination of some methylated guanines in the presence of copper ions, *Anal. Letters*, 27, 1123-1134(1994).
205. R.M.Shubietah, A.Z.Abu Zuhri, and A.G.Fogg, Adsorptive cathodic stripping voltammetric determination of theophylline at a hanging mercury drop electrode, *Analyst*, 119, 1967-1970(1994).
204. A.G.Fogg, 'Adsorptive stripping voltammetry or cathodic stripping voltammetry? - methods of accumulation and determination in stripping voltammetry', *Analyt. Proc.Analyt.Comm.*, 1994, 31, 313-317.
- 203a. A.K.Covington and IUPAC commission members of Electrochemistry and Electroanalytical chemistry, 'Terminology and conventions for microelectronic ion-selective field effect transistor devices in electrochemistry', *Pure Applied Chem.*, 1994, 66, 565.
203. M.V.B.Zanoni and A.G.Fogg, 'Potential of cathodic stripping voltammetry with adsorptive accumulation for the determination of reactive dyes including their monitoring in environmental, dyeing and other reaction situations', *Anal.Proc.*, 1994, 31, 217-219.
202. M.V.B. Zanoni and A.G.Fogg, 'Polarographic and cathodic stripping voltammetric determination of tipredane', *Analyt.Chim.Acta*, 1994, 298, 233-244.
201. A.G.Fogg and M.V.B.Zanoni, 'Absence of differential pulse cathodic stripping voltammetric peaks when adsorbed species are reduced reversibly yielding adsorbed products: anthraquinone-based reactive dyes ', *Anal.Proc.Anal.Comm.*, 1994, 31, 173-175.
200. R.Pirzad, J.C.Moreira, A.O.S.S.Rangel, R.M.Alonso, T.E.Edmonds, and A.G.Fogg, 'Differential

pulse cathodic stripping voltammetric determination of sodium nitroprusside at a hanging mercury drop electrode aided by copper(II) and poly-L-lysine modification', *Analyst*, 119, 963-968(1994).

199. A.G.Fogg, Editorial, *The Analyst*, (March 1994), *Analyst*, 119, 367 only(1994).

198. A.G.Fogg and B.J.Birch, Guest Editors, February 1994 issue of *The Analyst*, Special Issue for the International Symposium on Electroanalysis in Biomedical, Environmental, and Industrial Sciences, Loughborough, 20-23 April 1993: editorial, photograph and CV, *Analyst*, 119, 165-166(1994).

197. A.G.Fogg, 'Editorial: The 'New' Analytical Proceedings', *Analytical Proceedings*, 30, 1 only (1994).

196. F.N.Banica, J.C.Moreira and A.G.Fogg, 'Application of catalytic stripping voltammetry of organic compounds at a hanging mercury drop electrode: behaviour of cysteine, cystine and N-acetylcysteine in the presence of nickel ion', *Analyst*, 119, 309-318(1994).

195. A.G.Fogg, 'Editorial: Square-wave polarography - forty years on', *Analyst*, 117, 1801 only(1992).

194. M.V.B.Zanoni and A.G.Fogg, 'Cathodic stripping voltammetric determination of pentamidine isethionate at a hanging mercury drop electrode', *Analyst*, 118, 1163-1166(1993).

193. M.V.B.Zanoni and A.G.Fogg, 'Electrochemical reduction at mercury electrodes and differential pulse polarographic determination of pentamidine isethionate', *Analyst*, 118, 1157-1162(1993).

192. F.N.Ertas, A.G.Fogg, J.C.Moreira and J.Barek, 'Differential pulse cathodic stripping voltammetry of the copper complexes of glycyl-L-histidylglycine at a hanging mercury drop electrode', *Talanta*, 40, 1481-1488(1993).

190. A.G.Fogg, F.N.Ertas, J.C.Moreira and J.Barek, 'Adsorptive stripping voltammetry is interesting: is it useful?', *Port.Electrochim.Acta*, 11, 33-36(1993).

188. A.G.Fogg and A.E.Davies, "Reverse flow injection or reagent injection? Normal flow injection, reverse flow injection and single-boundary measurements", *Analyst*, 117, 1055-1057(1992).

187. A.G.Fogg, A.K.Deisingh and R.Pirzad, "Disposable capillary fill device for the colorimetric determination of p-aminophenol as indophenol blue," *Analyt.Letters*, 25, 937-946(1992).

186. A.G.Fogg, F.N.Ertas, J.C.Moreira and J.Barek, "Cathodic stripping voltammetric behaviour of copper complexes of glycylglycyl-L-histidine at a hanging mercury drop electrode: determination of trace amounts of glycylglycyl-L-histidine", *Analyt.Chim.Acta*, 278, 41-51(1993).

185. A.G.Fogg and A.M.Summan, "Stabilisation by ethylenediaminetetraacetic acid of amide and other groups in drug compounds", *J.Clinical Pharmacy and Therapeutics*, 17, 107-109(1992).

184. J.C.Moreira, S.E.Foster, J.A.Rodrigues and A.G.Fogg, "Differential pulse adsorptive stripping voltammetric determination of sodium cromoglycate at a hanging mercury drop electrode", *Analyst*, 117, 989-991(1992).

183. J.Barek, D.Drevinkova, J.Zima and A.G.Fogg, "The polarographic determination of 1-[4-(phenylazo)phenyl]-3,3-dimethyltriazene", *Collect.Czech.Chem.Comm.*, 57, 2248-2262(1992).

182. J.Barek and A.G.Fogg, "Determination of trace amounts of carcinogenic substances: Adsorptive stripping voltammetry of 1-(4-phenylazo)phenyl-3,3-dimethyltriazene at a hanging mercury drop electrode", *Analyst*, 117, 751-755(1992).

181. A.G.Fogg, J.C.Moreira and F.N.Ertas, "Cathodic stripping voltammetry at a hanging mercury electrode: use of polyaminoacid films, copper(II), derivatisation of large molecules and sample cleanup", *Port.Electr.Acta*, 9, 65-70(1991).
180. A.G.Fogg, "Foreword: International Symposium on Electroanalysis in Biochemical, Environmental and Industrial Sciences: Loughborough, UK, 11-14 April, 1989", *The Analyst*, 114, 1517(1989). Foreword to special issue of *The Analyst* containing papers given at this conference, which was organised by AGF.
179. A.G.Fogg, S.P.Scullion and T.E.Edmonds, "Development of amperometric flow injection monitors and disposable sensor devices for the determination of nitrate", *Analytical Proceedings*, 26, 204(1989). Summary of paper given at SAC89 Conference in Cambridge, August 1989.
178. A.G.Fogg, X.Wang and J.F.Tyson, "Shapes of normal and reverse flow injection signals: on-line formation of iodine", *Analytical Proceedings*, 26, 200(1989). Summary of lecture given at SAC89 Conference in Cambridge, August 1989.
177. A.G.Fogg, S.P.Scullion, J.C.Moreira, R.Zhao, and T.E.Edmonds, "Adaptation of on-line reactions developed for use in flow injection analysis with amperometric detection for use in disposable sensor devices", *Analytical Proceedings*, 26, 196(1989). Summary of workshop given at SAC89 Conference in Cambridge, August 1989.
176. J.C.Moreira, R.D.Miller, and A.G.Fogg, "Determination of traces of bacitracin by differential pulse adsorptive stripping voltammetry at a hanging mercury drop electrode", *Analyt.Proc.*, 28, 16-18(1991).
175. F.N.Ertas, J.C.Moreira, and A.G.Fogg, "Adsorptive stripping voltammetric behaviour of copper(II) at a hanging mercury drop electrode in the presence of excess of imidazole", *Analyst*, 116, 369-372(1991).
174. J.C.Moreira and A.G.Fogg, "Differential pulse adsorptive stripping voltammetric determination of tyrosine and histidine at a hanging mercury drop electrode after coupling with diazotised sulphanic acid", *Analyst*, 116, 249-252(1991).
173. A.G.Fogg and J.C.Moreira, "Stripping Voltammetry", *Phil. Trans. R. Soc. Lond. A*, 333, 164 only(1991).
172. F.E.Powell and A.G.Fogg, "Self-indicating flow visible spectrophotometric titrations in a variable-volume tank reactor", *Analyst*, 116, 631-640(1991).
171. A.G.Fogg, S.P. Scullion, T. E.Edmonds and B.J. Birch, "Direct reductive amperometric determination of nitrate at a copper electrode formed in situ in a capillary-fill sensor device", *Analyst*, 116, 573-579(1991).
170. A.G.Fogg and R.Zhao, "Signal shapes and single-boundary measurements in flow injection analysis with amperometric detection", *Electroanalysis*, 3, 273-280(1991).
169. J.C.Moreira, R.D.Miller and A.G.Fogg, "Adsorptive stripping voltammetry of phenylthiohydantoin and methylthiohydantoin derivatives of amino acids in the presence of copper(II) ions at a hanging mercury drop electrode", *Electroanalysis*, 3, 385-391(1991).
168. J.C.Moreira and A.G.Fogg, "Modification of electrodes with adsorbed polyaminoacids - II. Adsorptive stripping voltammetric determination of hexacyanoferrate(III) at a hanging mercury drop electrode in the presence of an adsorbed layer of copper-modified poly-l-lysine", *Analyst*, 115, 1565(1990).

167. A.G.Fogg, S.P. Scullion, T. E.Edmonds and B.J. Birch, "Adaptation of on-line reactions developed for use with flow injection analysis with amperometric detection for use in disposable sensor devices: reductive determination of phosphate as preformed 12-molybdophosphate in a capillary-fill device", *Analyst*, 115, 1277(1990).
166. J.C.Moreira and A.G.Fogg, "Modification of electrodes with adsorbed polyaminoacids - I. Cathodic stripping voltammetric determination of copper(II) at a hanging mercury drop electrode using adsorptive accumulation on an adsorbed layer of poly-L-histidine", *Analyst*, 115, 1561(1990).
165. J.C. Moreira, and A.G.Fogg, 'Adsorptive stripping voltammetry of some biologically important molecules', *Analyt. Proc.*, 26, 384(1989).
- 164.A.G.Fogg and R.Shrestha, "Differential pulse adsorptive stripping voltammetry of alizarin fluorine blue and some metal complexes", *Laboratory Practice*, 38, 67(1989).
163. F.E.Powell and A.G.Fogg, "Dynamic response characteristics of an impinging-jet amperometric detector", *Electroanalysis*, 1990, 2, 463.
162. A.G.Fogg, E.Cipko, L.Farabella, and J.F.Tyson, "Shapes of flow injection signals: effect of refractive index on spectrophotometric signals obtained for on-line formation of bromine from bromate, bromide and hydrogen ion in a single-channel manifold using large-volume time-based injections", *Analyst*, 115, 593(1990).
161. A.G.Fogg, S.P.Scullion and T.E.Edmonds, "Reductive reverse flow injection amperometric determination of nitrate at a platinum electrode after on-line reduction to nitrosyl chloride in concentrated sulphuric acid medium containing chloride", *Analyst*, 115, 599-604(1990).
- 160.J.C.Moreira and A.G.Fogg, "Determination of copper by adsorptive stripping voltammetry of its complex with diazo-1H-tetrazole", *Port. Electrochim. Acta*, 7, 673(1989).
159. A.G.Fogg, X.Wang and J.F.Tyson, "Elimination of double peaks in the iodimetric flow injection visible spectrophotometric determination of sulphite using a single-channel manifold", *Analyst*, 115, 305(1990).
158. J.C.Moreira and A.G.Fogg, "Determination of nanomolar levels of histidine by differential pulse adsorptive/cathodic stripping voltammetry of its copper(II) complex", *Analyst*, 115, 41(1990).
157. J.C.Moreira, C-F.J.Law and A.G.Fogg, "Adsorptive stripping voltammetry of fluorescein isothiocyanate, phenylthiocyanate, phenylthiohydantoin-tyrosine and methylthiohydantoin-glycine at a hanging mercury drop electrode", *Analyst*, 114, 1607(1989).
156. G F.E.Powell and A.G.Fogg, "Variable volume tank reactor", *Analyst*, 114, 1505(1989).
155. A.G.Fogg, S.P.Scullion and T.E.Edmonds, "Development of flow injection amperometric monitors for the determination of nitrate and other species", *Port. Electrochim. Acta*, 7, 77(1989).
154. X.Wang, A.G.Fogg and J.F.Tyson, "The use of a six-port four-way rotary valve for making time-based, non-loop injections in flow injection analysis", *Lab. Practice*, 38, (6), 67(1989).
153. A.G.Fogg, X.Wang and J.F.Tyson, "Shapes of normal and reverse flow injection signals: on-line formation of iodine from iodate, iodide and hydrogen ion with detection by visible spectrophotometry," *Analyst*, 114, 1119(1989).
152. R.Zhao, S.P.Scullion and A.G.Fogg, "Modification of a glassy carbon electrode by

electrochemical deposition of reduced 12-molybdophosphate in a flow injection system: increased response to molybdate and pH," *Analyt.Proc.*, 26, 363(1989).

151. J.F.Tyson, A.G.Fogg, and X.Wang, "The design of flow injection manifolds to give the best detection limits for methods involving on-line chemical derivatisation: Part 2. The spectrophotometric determination of chloride", *Quimica Analytica*, 8, 179(1989).

150. R.M.Smith, A.A.Ghani, D.G.Haverty, G.S.Bament, A.Y.Chamsi, and A.G.Fogg, "Derivatisation of amines with O-acetylsalicyloyl chloride to enhance electrochemical detection in high-performance liquid chromatography", *J.Chromatog.*, 455, 349(1988).

149. A.G.Fogg, S.P.Scullion and T.E.Edmonds, "Assessment of on-line nitration reactions as a means of determining nitrate by reverse flow injection analysis with reductive amperometric detection at a glassy carbon electrode", *Analyst*, 114, 579(1989).

148. F.E.Powell and A.G.Fogg, "Simulation of flow injection transients with application to amperometric detector response", *Analyst*, 114, 799(1989).

147. X.Wang, A.B.Marsden, A.G.Fogg and J.F.Tyson, "Design of manifolds for flow injection solution spectrophotometry", *Analyt.Proc.*, 26, 51(1989).

146 Y.Chamsi and A.G.Fogg, "Oxidative flow injection amperometric determination of nitrite at an electrochemically pretreated glassy carbon electrode", *Analyst*, 113, 1723(1989).

145. A.G.Fogg and R.M.Fleming, "Adsorptive Stripping Voltammetry: a versatile technique for environmental and clinical studies", *Portugaliae Electrochimica Acta*, 5, 299(1987).

144. A.G.Fogg and R.M.Alonso, "Differential pulse adsorptive stripping voltammetric method of determining nitrite at the ppb levels after diazotisation of aniline and coupling with azulene and its modification to determine aromatic amines", *Analyst*, 113, 1337(1988).

143. A.G.Fogg, S.P.Scullion and T.E.Edmonds, "Differential pulse polarographic determination of nitrate as 3-nitrobenzoic acid and other nitro derivatives", *Analyst*, 113, 979(1988).

142. A.A.Barros, J.O.Cabral and A.G.Fogg, "Use of gelatin in the differential pulse polarographic determination and identification of synthetic colouring matters in drugs and cosmetics", *Analyst*, 113, 853(1988).

141. A.G.Fogg and A.B.Ghawji, "Reductive flow injection amperometric determination of nitrofurantoin and acetazolamide at a sessile mercury drop electrode", *Analyst*, 113, 727(1988)..

140. F.E.Powell and A.G.Fogg, "Characterisation of an impinging jet electrode in an amperometric detector by hydrodynamic voltammetry", *Analyst*, 113, 373(1988).

139. A.G.Fogg and R.M.Alonso, "Differential pulse adsorptive stripping voltammetric determination of molybdenum as 12-molybdophosphoric acid or as molybdic acid at a hanging mercury drop electrode", *Analyst*, 113, 361(1988).

138. R.M.Alonso, R.M. Jiminez and A.G.Fogg, "Differential pulse adsorptive stripping voltammetry of the psychotropic drugs triazolam and clotiazepam", *Analyst*, 113, 27(1988).

137. R.M.Alonso, B.Gallo and A.G.Fogg, "Differential pulse adsorptive stripping voltammetry of 3-(4,5-dimethyl-2-thiazolylazo)-2,6-diaminopyridine (DMTADAP)", *Analyst*, 112, 1611(1987).

136. A.G.Fogg and D.Bhanot, "Effect of phosphonium and arsonium salts on the differential pulse polarograms of three permitted synthetic food colouring matters", *Analyst*, 112, 1319(1987)..

135. A.G.Fogg, and J.M.Lewis, "Use of derivatisation reactions with adsorptive stripping voltammetry. Diazotisation and coupling of aromatic amines.", *Analyst*, 111, 1443(1986).
134. A.G.Fogg, and R.M.Alonso, "Oxidative amperometric flow injection determination of cyanide at an electrochemically pretreated glassy carbon electrode", *Analyst*, 112, 1071(1987).
133. A.G.Fogg, C.W.Guta, and A.Y.Chamsi, "Iodimetric and bromimetric flow injection amperometric methods of determining sulphite in which iodine or bromine is monitored at a glassy carbon electrode", *Analyst*, 112, 253(1987).
132. A.G.Fogg, "Reverse flow injection formation of monitorands in direct and indirect on-line flow injection analysis methods", *Analyst*, 111, 859(1986).
131. A.G.Fogg, A.A.Barros and J.O.Cabral, "Differential pulse adsorptive stripping voltammetry of food and cosmetic synthetic colouring matters and their determination and partial identification in tablet coatings and cosmetics", *Analyst*, 111, 831(1986).
130. M.A.Fernandez-Arciniega, L.Hernandez and A.G.Fogg, "Mass spectrometry of 1,4-thienodiazepin-2-ones", *Il Farmaco Ed.Pr.*, 39, 365(1984).
129. A.Y.Chamsi and A.G.Fogg, "Application of the reductive flow injection amperometric determination of iodine at a glassy carbon electrode to the iodimetric determination of hypochlorite and hydrogen peroxide", *Analyst*, 1986, 111, 879.
128. A.G.Fogg, R.M.Alonso and M.A.Fernandez-Arciniega, "Oxidative amperometric flow injection determination of oxalate at an electrochemically pretreated glassy carbon electrode", *Analyst*, 111, 249-252(1986).
127. A.B. Ghawji and A.G.Fogg, "Reduction in size by electrochemical pretreatment at high negative potentials of the background currents obtained at negative potentials at glassy carbon electrodes and its application in the reductive flow injection amperometric determination of nitrofurantoin", *Analyst*, 111, 157-162(1986).
126. A.G.Fogg and M.A.Abdalla, "Visible spectrophotometric determination of cephalosporins and penicillins by indophenol derivatisation with and without alkaline degradation to ammonia", *J.Pharm.Biomed.Anal.*, 3, 315-321(1985).
125. M.A.Fernandez-Arciniega, L. Hernandez and A.G.Fogg, "Mass spectrometry of two new psychotropic drugs containing the 1,4-diazepine-2-thione group," *Boll. Chim. Pharm.*, 123, 275(1984).
124. H.P.Henriques and A.G.Fogg, "Preparation of Graphite-loaded Epoxy-based Voltammetric Electrodes using a Multilayer Coating and Hardening Technique", *Proceedings of the IV Simp. Brasil. Electroquim. Electroanal.*, 1984, p.83-86.
123. A.G.Fogg, M.A.Fernandez-Arciniega and R.M.Alonso, "Flow-injection amperometric determination of EDTA at an electrochemically pretreated glassy carbon electrode", *Analyst*, 110, 1201-1204(1985).
122. A.G.Fogg, M.A.Fernandez-Arciniega and R.M.Alonso, "Flow-injection amperometric determination of sulphite at an electrochemically pretreated glassy carbon electrode", *Analyst*, 110, 851-854(1985).
121. A.G.Fogg, M.A.Fernandez-Arciniega and R.M.Alonso, "Flow-injection amperometric determination of nitroprusside at a glassy carbon electrode and at a sessile mercury drop electrode", *Analyst*, 110, 345-348(1985).

120. A.G.Fogg, A.M.Summan and M.A.Fernandez-Arciniega, "Flow-injection amperometric determination of ascorbic acid and dopamine at a sessile mercury drop electrode", *Analyst*, 110, 341-343(1985).
119. H.P.Henriques and A.G.Fogg, "Preparation of voltammetric disc electrodes using graphite-loaded epoxy-coated fabric as a master source of membranes", *Analyst*, 110, 79-80(1985).
118. H.P.Henriques and A.G.Fogg, "Preparation of coated plastic or glass rod voltammetric electrodes using a multi-layer coating and vapour hardening technique", *Analyst*, 110, 27-29(1985).
117. H.P.Henriques and A.G.Fogg, "Method of reclaiming used commercial glassy carbon disc electrodes exhibiting high background currents", *Analyst*, 109, 1201-1204(1984).
116. H.P.Henriques and A.G.Fogg, "Preparation of graphite-loaded epoxy-based voltammetric electrodes using a multilayer coating and hardening technique", *Analyst*, 109, 1195-1199(1984).
115. A.G.Fogg and A.M.Summan, "Simple wall-jet detector cell holding either a solid electrode or a sessile mercury-drop electrode and an illustration of its use in the oxidative and reductive flow injection voltammetric determination of food colouring matters", *Analyst*, 109, 1029-1034(1984).
114. A.G.Fogg, A.Y.Chamsi, A.A.Barros and J.O.Cabral, "Flow injection voltammetric determination of hypochlorite and hypobromite as bromine by injection into an acidic bromide eluent and the indirect determination of ammonia and hydrazine by reaction with an excess of hypobromite", *Analyst*, 109, 901-904(1984).
113. A.G.Fogg and A.M.Summan, "Further differential pulse polarographic and visible spectrophotometric studies of the degradation of permitted synthetic food colouring matters with and without the addition of ascorbic acid: accelerated heat degradation studies", *Analyst*, 109, 743-747(1984).
112. A.G.Fogg and N.K.Besbes, "Sequential flow injection voltammetric determination of phosphate and nitrite by injection of reagents into a sample stream", *Analyst*, 109, 19-21(1984).
111. A.G.Fogg, G.C.Cripps and B.J.Birch, "Static and flow injection voltammetric determination of total phosphate and soluble silicate in commercial washing powders at a glassy carbon electrode", *Analyst*, 108, 1485-1489(1983).
110. A.G.Fogg and A.M.Summan, "Further differential pulse polarographic and visible spectrophotometric studies of the degradation of permitted synthetic food colouring matters with and without the addition of ascorbic acid : degradation in the dark and in the light without the stabilising action of EDTA", *Analyst*, 108, 1339-1344(1983).
109. A.G.Fogg, M.A.Ali, and M.A.Abdalla, "On-line bromimetric determination of phenol, aniline, aspirin and isoniazid using flow injection voltammetry", *Analyst*, 108, 840-846(1983).
108. A.G.Fogg and A.M.Summan, "Differential pulse polarographic monitoring of permitted food colouring matters and ascorbic acid in accelerated light degradation studies and the spectrophotometric determination of the ammonia and simpler amines formed", *Analyst*, 108, 691-700(1983).
107. A.G.Fogg, A.Y.Chamsi and M.A.Abdalla, "Flow-injection voltammetric determination of nitrate after reduction to nitrite", *Analyst*, 108, 464-469(1983).
106. M.A.Abdalla, A.G.Fogg, J.G.Baber and C.Burgess, "Air-segmented continuous-flow visible spectrophotometric determination of cephalosporins by alkaline degradation to hydrogen sulphide and

formation of methylene blue and determination of sulphide-producing impurities including cephalosporins in penicillin samples", *Analyst*, 108, 53-57(1983).

105. A.G.Fogg, N.K.Bsebsu and M.A.Abdalla, "Indirect flow-injection voltammetric determination of aromatic amines by monitoring at a glassy carbon electrode the excess of nitrite remaining after diazotisation", *Analyst*, 107, 1462-1465(1982).

104. A.G.Fogg, N.K.Bsebsu and M.A.Abdalla, "Flow-injection voltammetric determination of nitrite by reduction at a glassy carbon electrode in acidic bromide or chloride media", *Analyst*, 107, 1040-1046(1982).

103. A.G.Fogg and N.K.Bsebsu, "Flow-injection voltammetric determination of phosphate: direct injection of phosphate into molybdate reagent", *Analyst*, 107, 566-570(1982).

102. M.A.Abdalla, N.K.Bsebsu and A.G.Fogg, "Voltammetric determination of phosphate in blood", *Analytical Proceedings*, 19, 443-444(1982).

101. A.G.Fogg and M.R.Whetstone, "Differential pulse polarographic determination of Red 10B formed from the permitted food colour Red 2G", *Analyst*, 107, 455-459(1982).

100. A.G.Fogg, M.A.Abdalla and H.P.Henriques, "Titrimetric determination of the yield of sulphide formed by alkaline degradation of cephalosporins", *Analyst*, 107, 449-452(1982).

99. M.A.Abdalla, A.G.Fogg and C.Burgess, "Selective spectrophotometric determination of cephalosporins by alkaline degradation to hydrogen sulphide and formation of methylene blue", *Analyst*, 107, 213-216(1982).

98. A.G.Fogg and N.K.Bsebsu, "Differential pulse voltammetric determination of phosphate as molybdovanadophosphate at a glassy carbon electrode and assessment of eluents for the flow-injection voltammetric determination of phosphate, silicate, arsenate and germanate", *Analyst*, 106, 1288-1295(1981).

97. A.G.Fogg and M.J.Martin, "Differential pulse polarographic determination of degradation products of cephalosporins: comparison of the degradation of cephaloglycin in neutral solution with that of cephalexin", *Analyst*, 106, 1213-1217(1981).

96. A.G.Fogg and D.Bhanot, "Further voltammetric studies of synthetic food colouring matters at glassy carbon and carbon paste electrodes using static and flowing systems", *Analyst*, 106, 883-889(1981).

95. A.G.Fogg, "Determination of drugs in biological fluids: voltammetry, is it worth considering?", *Analytical Proceedings*, 18, 387-389(1981).

94. A.G.Fogg, N.M.Fayad and M.J.Martin, "Degradation studies of penicillins and cephalosporins using polarography", *Analytical Proceedings*, 18, 211-215(1981).

93. H.K.Chan and A.G.Fogg, "Polarographic determination of temazepam in soft gelatin capsule formulations", *Analyst*, 106, 768-775(1981).

92. A.G.Fogg, N.K.Bsebsu and B.J.Birch, "Differential pulse anodic voltammetric determination of phosphate, silicate, arsenate and germanate as beta-heteropolymolybdates at a stationary glassy carbon electrode", *Talanta*, 28, 473-476(1981).

91. A.G.Fogg and N.K.Bsebsu, "Anodic voltammetry of 12-molybdophosphate and molybdenum blue at a stationary glassy carbon electrode", *Analyst*, 106, 369-373(1981).

90. A.G.Fogg and D.Bhanot, "Voltammetric determination of synthetic food colouring matters at a stationary glassy carbon electrode", *Analyst*, 105, 868-872(1980).
89. A.G.Fogg, "Why teach electroanalytical chemistry? - the teaching and importance of polarography", *Proc. of the Analytical Division, RSC*, 16, 352-354(1979).
88. A.G.Fogg, PAR Application Brief S-4 Silicon, Princeton Applied Research Corp., New Jersey, USA, 1979.
87. A.G.Fogg, PAR Application Brief P-1 Phosphate, Princeton Applied Research Corp., New Jersey, USA, 1979.
86. A.G.Fogg and D.Bhanot, "Effect of tetraphenylphosphonium chloride on the differential pulse polarograms of synthetic food colouring matters", *Analyst*, 105, 234-240(1980).
85. A.G.Fogg, N.M.Fayad and R.N.Goyal, "Differential pulse polarographic determination of cephalixin after hydrolysis in neutral phosphate buffer", *J.Pharm.Pharmacol.*, 32, 302-303(1980).
84. A.G.Fogg and K.S.Yoo, "Ion-selective electrodes based on tetraphenylphosphonium 12-tungstosilicate and on Crystal Violet tetraphenylborate in the potentiometric titration of acid and basic dyes", *Analyt.Chim.Acta*, 113, 165-169(1980).
83. A.G.Fogg and N.M.Fayad, "Differential pulse polarographic study of the degradation of ampicillin", *Analyt.Chim.Acta*, 113, 91-96(1980).
82. A.G.Fogg and N.M.Fayad, "Differential pulse polarography of cephalosporins and their degradation products", *Proceedings of the Conference on Electroanalysis in Hygiene, Environmental, Clinical and Pharmaceutical Chemistry*", Chelsea College, London, 17-20 January 1979, Elsevier, 1979, p.233-243.
81. H.K.Chan and A.G.Fogg, "Flow injection determination of meptazinol with electrochemical detection", *Analyt.Chim.Acta*, 111, 281-285(1979).
80. A.G.Fogg, N.M.Fayad and C.Burgess, "Differential pulse polarographic study of the degradation of cephalixin: determination of hydrogen sulphide and other degradation products", *Analyt.Chim.Acta*, 110, 107-115(1979).
79. A.G.Fogg and K.S.Yoo, "Direct differential pulse polarographic determination of mixtures of food colouring matters, Chocolate Brown HT, tartrazine and Green S", *Analyst*, 104, 1087-1090(1979).
78. A.G.Fogg and K.S.Yoo, "Direct differential pulse polarographic determination of mixtures of food colouring matters: tartrazine-Sunset Yellow FCF, tartrazine-Green S and amaranth-Green S -in soft drinks", *Analyst*, 104, 723-729(1979).
77. H.K.Chan and A.G.Fogg, "Voltammetric determination of phenylbutazone and oxyphenbutazone at a glassy carbon electrode", *Analyt.Chim.Acta*, 109, 341-349(1979).
76. A.G.Fogg, N.M.Fayad, C.Burgess and A.McGlynn, "Differential pulse polarographic determination of cephalosporins and their degradation products", *Analyt.Chim.Acta*, 108, 205-211(1979).
75. A.G.Fogg and N.M.Fayad, "Spectrophotometric and differential pulse polarographic determinations of sulphaguanidine by reaction with hypochlorite and phenol", *Analyt.Chim.Acta*, 106, 365-367(1979).

74. H.K.Chan and A.G.Fogg, "Determination of the phenolic analgesics, ciramadol, meptazinol, dezocine and pentazocine in pharmaceutical dosage forms by linear-sweep voltammetry at a glassy carbon electrode", *Analyt.Chim.Acta*, 105, 423-428(1979).
73. A.G.Fogg and N.M.Fayad, "Differential pulse polarographic determination of disodium cromoglycate in urine", *Analyt.Chim.Acta*, 102, 205-210(1978).
72. A.G.Fogg and Y.Z.Ahmed, "Indophenol derivatization in differential pulse polarography: application to the determination of ammonia, p-aminophenol and sulphanilamide", *Analyt.Chim.Acta*, 101, 211-214(1978).
71. A.G.Fogg and K.S.Yoo, "Liquid-state ion-selective electrodes for the determination of acidic and basic dyes", *Proceedings of the Ion-selective Electrode Conference in Budapest, 5-9 September 1977*, Elsevier, 1978,p.369-372.
70. H.K. Chan and A.G.Fogg, "Determination of ciclazindol in biological fluids by differential pulse polarography", *Analyt.Chim.Acta*, 98, 101(1978).
69. A.G.Fogg and J.E.Lewis, "A polarographic and coulometric study of the iron(III)-Solochrome Violet RS system", *Talanta*, 25, 461-467(1978).
68. A.G.Fogg and A.A.Osakwe, "Assessment of a new method for the differential pulse polarographic determination of silicon in steel", *Talanta*, 25, 226-228(1978).
67. A.G.Fogg and Y.Z.Ahmed, "Determination of oxyphenbutazone and phenylbutazone by differential pulse polarography after derivatisation", *Analyt.Chim.Acta*, 94, 453-456(1977).
66. A.G.Fogg, A.A.Al-Sibaai and K.S.Yoo, "Liquid-state ion-selective electrodes for the determination of acid and basic dyes", *Analyt. Letters*, 10,173-182(1977).
65. A.G.Fogg, S.Soleymanloo and D.T.Burns, "Spectrophotometric determination of inorganic phosphate in biological systems with Crystal Violet", *Analyt.Chim.Acta*, 88, 197-200(1977).
64. A.G.Fogg and K.S.Yoo, "Pulse polarographic determination of nanogram amounts of orthophosphate", *Analyt. Letters*, 9, 1035-1045(1976).
63. A.G.Fogg and A.A.Al-Sibaai, "Ion-selective electrode for the determination of perrhenate based on Brilliant green perrhenate" , *Analyt. Letters*, 9, 39-44(1976).
62. A.G.Fogg and A.A.Al-Sibaai, "Ion-selective electrode for the determination of gold based on Safranine O tetrachloroaurate(III)", *Analyt. Letters*,9, 33-38(1976).
61. A.G.Fogg and A.A.Osakwe, "Pulse polarographic determination of nanogram amounts of silicon", *Analyt.Letters*, 9, 23-32(1976).
60. A.G.Fogg, A.Willcox and D.T.Burns, "Changes in absorbance values of solutions of Brilliant green after initial dissolution of the solid: precaution to be taken in its use as a colorimetric reagent", *Analyst*, 101, 67-69(1976).
59. D.T.Burns, A.G.Fogg and G.Smith, "Determination of polyethyleneglycol stearate on finished fibre", *Laboratory Practice*, 26, 340-341(1975).
58. A.G.Fogg, A.A.Al-Sibaai and C.Burgess, "Ion-selective electrodes for the determination of antimony and thallium based on water insoluble basic dye salts", *Analyt.Letters*, 8, 129-137(1975).
57. A.G.Fogg, S.Soleymanloo and D.T.Burns, "Masking of iron with fluoride in the extractive

atomic absorption spectrometric determination of chromium in steel", *Talanta*, 22, 541-543(1975).

56. A.G.Fogg, J.L.Kumar and D.T.Burns, "Spectrophotometric determination of molybdenum in steel with thiocyanate and tetraphenylarsonium chloride", *Analyst*, 100, 311-315(1975).

55. C.T.H.Ellcock and A.G.Fogg, "Selective colorimetric determination of paracetamol by means of an indophenol reaction", *Analyst*, 100, 16-18(1975).

54. D.T.Burns, A.G.Fogg and A.Willcox, "Studies in basic dyes as colorimetric reagents: effects of adsorption on cuvette walls", *UV Group Bulletin*, 23-25(1974).

53. A.S.Pathan, A.G.Fogg and D.T.Burns, "Basic dye salts as ion-exchangers in liquid-state ion-selective electrodes", *Proc.Soc.Analyt.Chem.*, 11, 162-163(1974).

52. A.G.Fogg, J.L.Kumar and D.T.Burns, "Determination of molybdenum by means of an ion-selective electrode based on bis-tetraethylammonium pentathiocyanatooxomolybdate(V)", *Analyt.Letters*, 7, 629-636(1974).

51. A.G.Fogg, A.S.Pathan and D.T.Burns, "A liquid state tetrafluoroborate ion-selective electrode based on Brilliant green tetrafluoroborate", *Analyt.Letters*, 7, 545-551(1974).

50. A.G.Fogg, A.S.Pathan and D.T.Burns, "Assessment of potassium zinc ferrocyanide as an alkali metal ion-exchanger in ion-selective electrodes", *Analyt.Letters*, 7, 539-543(1974).

49. A.G.Fogg, A.S.Pathan and D.T.Burns, "A liquid state perchlorate ion-selective electrode based on Brilliant green perchlorate", *Analyt.Chim.Acta*, 73, 220-223(1974).

48. C.T.H.Ellcock and A.G.Fogg, "Specific colorimetric determination of sulphanimide in the presence of other sulphonamides by an indophenol reaction", *Laboratory Practice*, 23, 555-556(1974).

47. A.G.Fogg and Y.Z.Ahmed, "Determination of sub-micromolar concentrations of sulphonamides by differential pulse polarography after diazotisation and coupling with 1-naphthol", *Analyt.Chim.Acta*, 70, 241-244(1974).

46. A.G.Fogg, A.S.Pathan and D.T.Burns, "A silicone rubber surfactant electrode", *Analyt.Chim.Acta*, 69, 238-242(1974).

45. A.Ashton, A.G.Fogg and D.T.Burns, "A highly selective direct colorimetric procedure for the determination of zirconium in steel with Arsenazo III using a pressure digestion technique for dissolution", *Analyst*, 99, 108-113(1974).

44. D.R.Davis, A.G.Fogg, D.T.Burns and J.S.Wragg, "A colorimetric method for the determination of phenacetin and paracetamol-Part III. Studies of the indophenol reaction: an alternative manual procedure for the determination of phenacetin and paracetamol and its application to the determination of other pharmaceuticals including sulphonamides, procaine and related compounds", *Analyst*, 99, 12-18(1974).

43. A.A.Al-Sibaai and A.G.Fogg, "Stability of dilute standard solutions of antimony, arsenic, iron and rhenium used in colorimetry", *Analyst*, 98, 732-738(1973).

42. C.Burgess, A.G.Fogg and D.T.Burns, "A critical study of Safranin O as a spectrophotometric reagent: a rapid method of determining trace amounts of antimony in steel", *Analyst*, 98, 605-609(1973).

41. A.G.Fogg, M.Duzinkewycz and A.S.Pathan, "Ion-selective electrodes based on Brilliant green

tetrathiocyanatozincate(II)", *Analyt.Letters*, 6, 1101-1106(1973).

40. A.G.Fogg, A.Willcox and D.T.Burns, "Separation and identification of certain xanthene and other red basic dyes", *J.Chromatog.*, 77, 237-238(1973).

39. A.G.Fogg, C.Burgess and D.T.Burns, "A critical study of Brilliant green as a spectrophotometric reagent: extraction of chlorocomplexes of antimony, thallium, gallium and indium, and of tetrabromoindate(III). Improved procedures for the determination of antimony and thallium", *Analyst*, 98, 347-350(1973).

38. C.Burgess, A.G.Fogg and D.T.Burns, "An evaluation of methods for the purification and quantitative determination of basic dyes used in spectrophotometry", *Laboratory Practice*, 22, 472-475(1973).

37. A.Ashton, A.G.Fogg and D.T.Burns, "Applications of sensitised reactions: spectrophotometric determination of tin in steel with catechol violet and cetyltrimethylammonium bromide", *Analyst*, 98, 202-208(1973).

36. A.Ashton, A.G.Fogg and D.T.Burns, "Some studies of the colorimetric determination of tin in steel: the effect of dispersing agents", *Zeit.Analyt.Chem.*, 264, 133-138(1973).

35. A.G.Fogg, D.R.Marriott and D.T.Burns, "A recommended molybdenum blue procedure for the determination of arsenic in steel", *Analyst*, 97, 657-662(1972).

34. A.G.Fogg, C.Burgess and D.T.Burns, "A critical study of Brilliant green as a spectrophotometric reagent: the determination of perchlorate particularly in potassium chlorate", *Analyst*, 96, 854-857(1971).

33. D.T.Burns, A.G.Fogg and A.Willcox, "The estimation of nitrate by extraction with tetraphenylphosphonium chloride", *Mikrochim.Acta*, 205-208(1971).

32. A.G.Fogg, T.J.Jarvis, D.R.Marriott and D.T.Burns, "The spectrophotometric determination of tungsten with thiocyanate-Part III. Moderating the interference by molybdenum in the determination of tungsten in steel", *Analyst*, 96, 475-479(1971).

31. A.G.Fogg, C.Burgess and D.T.Burns, "Talanta review: Use of basic dyes in the determination of anions particularly as a means of determining antimony, thallium and gallium", *Talanta*, 18, 1175-1196(1971).

30. A.G.Fogg, J.L.Kumar and D.T.Burns, "Further polarographic studies of metal complexes of Mordant red 74; the masking of interfering metals in the determination of beryllium and lead", *Analyst*, 96, 403-406(1971).

29. A.G.Fogg, A.Gray and D.T.Burns, "Review of procedures for separating and determining halogenated o,o'-dihydroxydiphenylsulphides and methanes", *Laboratory Practice*, 20, 223-226,230(1971).

28. D.T.Burns, A.G.Fogg and D.R.Marriott, "Studies in the determination of tungsten in steels", *Proc. of the 23rd Chemists' Conference, British Iron and Steel Research Association*, 9-11 June 1970, 46-54(1971).

27. A.G.Fogg, D.T.Burns and E.H.Yeowart, "Determination of perchlorate in samples of potassium chlorate-Part II. Extraction with tetrabutylphosphonium chloride followed by replacement of the perchlorate by the iron(III)-thiocyanate anion", *Mikrochim.Acta*, 974-977(1970).

26. A.G.Fogg, C.Burgess and D.T.Burns, "A critical study of Brilliant green as a spectrophotometric

reagent: the determination of perrhenate and gold", *Analyst*, 95, 1012-1017(1970).

25. S.P.Agathangelou, D.R.Brown, A.G.Fogg and D.T.Burns, "Analysis of samples of bis-(2-carboxyphenyl)disulphide: determination of 2-carboxythiophenol and free sulphur impurities", *Laboratory Practice*, 20, 115-116(1971).

24. A.G.Fogg, D.T.Burns and E.H.Yeowart, "Colorimetric determination of perchlorate in samples of potassium chlorate by extraction with tetrabutylphosphonium chloride followed by replacement of the perchlorate by the iron(III)-thiocyanate anion", *Proc. of the 6th International Sympos. on Microtechniques*, Graz, Austria, 1970, Vol.B, p.81-85.

23. D.R.Marriott, A.G.Fogg and D.T.Burns, "Investigation into the determination of low levels of tungsten in alloy steels with heteropolyacids and thiocyanates as chromogenic reagents", *Proc.Soc.Analyt.Chem.*, 7, 145only(1970).

22. A.G.Fogg, A.Gray, J.N.Miller and D.T.Burns, "The use of acid dissociation constants in selecting buffers to effect the electrophoretic separation of bithionol, fenticlor, hexachlorophene, bromchlorophene, dichlorophene, tetrachlorophene and 4-hexylresorcinol", *J.Chromatog.*, 49, 567-572(1970).

21. A.G.Fogg, A.Gray and D.T.Burns, "Stability constants of metal complexes of bithionol, fenticlor and hexachlorophene", *Analyt.Chim.Acta*, 51, 265-270(1970).

20. A.G.Fogg, R.Griffiths, W.P.Hayes and D.T.Burns, "The identification of certain polyurethane rubbers by infrared analysis", *Laboratory Practice*, 19, 475-476(1970).

19. A.G.Fogg, D.R.Marriott and D.T.Burns, "The spectrophotometric determination of tungsten with thiocyanate-Part II. An experimental assessment of procedures: a recommended procedure for the determination of tungsten in steel", *Analyst*, 95, 854-861(1970).

18. A.G.Fogg, D.R.Marriott and D.T.Burns, "The spectrophotometric determination of tungsten with thiocyanate-Part I. A review of procedures", *Analyst*, 95, 848-853(1970).

17. A.G.Fogg, P.J.Sausins and J.R.Smithson, "The determination of paracetamol and aspirin in mixtures by non-aqueous potentiometric titrimetry or by ultraviolet spectrophotometry", *Analyt.Chim.Acta*, 49, 342-345(1970).

16. A.Gray, A.G.Fogg and D.T.Burns, "The analytical chemistry of bithionol and its metal complexes", *Proc.Soc.Analyt.Chem.*, 6, 185only(1969).

15. A.G.Fogg, J.Jillings, D.R.Marriott and D.T.Burns, "A critical study of Brilliant green as a spectrophotometric reagent: the determination of antimony", *Analyst*, 94, 768-773(1969).

14. A.G.Fogg, A.Gray and D.T.Burns, "A solvent extraction procedure for the spectrophotometric determination of iron(III) with bithionol", *Analyt.Chim.Acta*, 47, 151-153(1969).

13. A.J.Bowd, D.T.Burns and A.G.Fogg, "Analytical aspects of organo-P, As, Sb, S, Se, Te and Sn(IV) (onium) cations", *Talanta*, 16, 719-731(1969).

12. A.G.Fogg, A.Gray and D.T.Burns, "Spectrophotometric determination of iron(III) with bithionol", *Analyt.Chim.Acta*, 45, 196-198(1969).

11. A.G.Fogg, C.T.Higgins and D.T.Burns, "Spectrophotometric determination of cobalt in steel with diphenyliodonium chloride", *Mikrochim.Acta*, 546-549(1969).

10. A.G.Fogg, J.L.Kumar and D.T.Burns, "The polarographic behaviour of o-hydroxy-o'-carboxyazo dyes and their beryllium complexes", *Analyst*, 94, 262-268(1969).
9. D.T.Burns and A.G.Fogg, "Some unusual reagents", *Proc.Soc.Analyt.Chem.*, 6, 22-23(1969).
8. D.T.Burns, A.G.Fogg and C.T.Higgins, "The electrophoretic separation and detection of the diphenyliodonium ion in the presence of thallium(I), tetraphenylarsonium and tetraphenylphosphonium ions", *J.Chromatog.*, 32, 793-794(1968).
7. D.T.Burns, A.G.Fogg and C.T.Higgins, "The detection and separation of the diphenyliodonium ion in the presence of thallium(I), tetraphenylarsonium and tetraphenylphosphonium ions", *J.Chromatog.*, 30, 287-288(1967).
6. A.G.Fogg, A.H.Norbury and W.Moser, "The Boedeker Reaction-IV. Caesium sulphitnitroprusside", *J.Inorg.Nucl.Chem.*, 28, 2753-2755(1966).
5. A.G.Fogg, W.Moser and R.A.Chalmers, "The Boedeker Reaction-III. The detection of sulphite ion", *Analyt.Chim.Acta*, 36, 248-251(1966).
4. A.G.Fogg, A.D.Jones and W.Moser, "The Boedeker Reaction-II. The interaction of magnesium sulphite and magnesium nitroprusside in aqueous solution", *J.Inorg.Nucl.Chem.*, 28, 2427-2429(1966).
3. A.G.Fogg and R.Wood, "Thin-layer chromatography on zinc ferrocyanide", *J.Chromatog.*, 20, 613-614(1965).
2. A.G.Fogg and G.F.Reynolds, "Coprecipitation of substituted anilines with zinc ferrocyanide: analysis of p-aminobenzoic acid - procaine mixtures", *Analyt.Chim.Acta*, 32, 582-586(1965).
1. W.Moser, R.A.Chalmers and A.G.Fogg, "The Boedeker Reaction-I. The interaction of alkali metal sulphites and nitroprussides in aqueous solution", *J.Inorg.Nucl.Chem.*, 27, 831-840(1965).